

MITTEN[®]
BUILDING PRODUCTS

Build BOLD
Create a look that's all your own.



2022 **PRODUCT
SHOWCASE**



BUILDING PRODUCTS

Mitten provides the most comprehensive selection of high quality, in-stock exterior design solutions.

Mitten helps Architects, Builders and Installers make their ideas and projects come to life by supplying quality materials in an endless variety of design solutions that are easy to install. Mitten sets the benchmark for quality, design options and product availability.

As part of the Cornerstone Building Brands family, we are the largest manufacturer of exterior building products in North America.

SIDING



Sentry Variegated 4, 5
Sentry 6, 7
Highland..... 8, 9
Oregon Pride 10, 11
Vinyl Trims &
Accessories 12, 13 14
Vinyl Soffit 16, 17
Pleasant View Skirting 17
LUX Architectural Products..... 18, 19
Ply Gem Steel Siding 20
Certificate of Conformance/Warranty 21
Vinyl Colour Matrix..... 40, 41

ALUMINUM



M Series Aluminum .. 22, 23
Alu-Rex
Gutter Protection..... 24

SHAKE & STONE



Mitten Colour Matched
8' Shake..... 25
NovikShake NP
Northern Perfection 25
NovikShake™ and
NovikStone™ 26, 27
The Foundry Shake..... 28
Shake Stocking Matrix... 29




Genstone 30
Versetta Stone 31
Stone Stocking Matrix... 29

WINDOWS & DOORS



Ply Gem Windows 32
Fusion Colour Wrap 32
Ply Gem Doors 33

ACCENTS



Ply Gem
Blocks & Vents..... 34, 35
Ply Gem PVC Trim..... 36
Novik Shutters..... 36
Fence, Railings &
Columns 37

BUILDING ENVELOPE



House Wrap 38
Insulation, Sealants &
Foams 38

TOOLS & EQUIPMENT



Tools 39
Bending Equipment 39
Scaffolding &
Ladders..... 39
Fasteners 39

BRANCH LOCATIONS

Branch Locations..... 42

MITTEN[®]


BUILDING PRODUCTS



Free Samples

Want to see a colour up close? Order up to 5 complimentary vinyl siding and colour matched shake sample chips online.

Visit mittensiding.com and order your free samples!



COLOURMATCH

The Mitten Colour Match Concept

Mitten Siding & Accessories offer you the choice to match your Vinyl Siding colours with an extensive variety of complementary products.

Choose Colour Matched Trim, Shake, Blocks/Mounts/Vents, Caulking and Fasteners.

We even have colour matches on file with major paint manufacturers.

Have confidence knowing your home is going to look great with Colour Matched Mitten Siding and Accessories.



Visualization

Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our pre-masked photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of www.mittensiding.com or download the **Mitten Pro iPad App** (Search "Mitten Pro" for iPad only).



Sales Leads

Each month, tens of thousands visit our website. Homeowners searching for product information are directed to the "Where To Buy" contractor locator or they can click "Get an Estimate" to be connected with a member of the Mitten Team. By completing a short online form to detail their project, these homeowners quickly become pre-qualified sales leads.



Online Training

Continue to develop your skills and knowledge with Mitten Online Training. To be successful, everyone needs to have knowledge about the products they sell, install, service or support. Go to mittentraining.com or to our website at mittensiding.com







MITTEN
BUILDING PRODUCTS

SENTRY
VARIEGATED VINYL SIDING

Our ultra premium variegated siding features four multi-tone RUSTIC colours to achieve the stunning look of stained cedar with a deep textured woodgrain. Painting, sealing or caulking is never required, and the panels are backed by a **No Fade Promise*** along with Mitten's limited lifetime warranty.

Available in Sentry's three popular profiles including a vertical Board & Batten panel, the four richly grained and inviting colours are easy to install, architecturally pleasing and sure to create instant curb appeal.

RUSTIC Colours



D4H = Double 4" Horizontal

B&B = Board & Batten

D4.5DL = Double 4.5" Dutchlap

D5S = Double 5" Soffit

*D5" (.040" thickness) for soffit application only

Performance Features:



**NO FADE
PROMISE**



**PREMIUM
.044" THICKNESS***



**HURRICANE FORCE
WIND SPEED RATED**



**CONTOURED
LOCK SYSTEM**



**ROLL-OVER
NAIL HEM**



**LOW GLOSS
2 TONE
FINISH**



**LIMITED LIFETIME
WARRANTY**



*Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

SENTRY Variegated Vinyl Series - Pictured below in Farmhouse



SENTRY Variegated Vinyl Series
Pictured above in Farmhouse

Board & Batten

Shown in Hemlock

Length/Pc: 10' / 3.04m

Width/Pc: 7" / 17.78cm

Panels/Ctn: 17

Coverage/Ctn:

100 sq. ft. / 9.29 m²

Nom. Thickness:


.050" / 1.27 mm

Windload Data:

195 mph / 313KM/h



Burnt Sienna



Farmhouse



Arctic Grey



Hemlock

Double 4" Horizontal

Shown in Farmhouse

Length/Pc: 12'6" / 3.81m

Width/Pc: 8" / 20.32cm

Panels/Ctn: 24

Coverage/Ctn:

200 sq. ft. / 18.58 m²

Nom. Thickness:

.044" / 1.12 mm

Windload Data:

180 mph / 290 KM/h

Double 4.5" Dutchlap

Shown in Arctic Grey

Length/Pc: 12'1" / 3.68m

Width/Pc: 9" / 22.86cm

Panels/Ctn: 22

Coverage/Ctn:

200 sq. ft. / 18.58 m²

Nom. Thickness:

.044" / 1.12 mm

Windload Data:

180 mph / 290 KM/h

Double 5" Soffit

Shown in Burnt Sienna

Length/Pc: 12' / 3.66m

Width/Pc: 10" / 25.4cm

Panels/Ctn: 20

Coverage/Ctn:

200 sq. ft. / 18.58 m²

Nom. Thickness:

.040" / 1.02 mm

Net Free Air Intake Per Foot:

Perforated Full Vent 4.2 sq. in.

NEW
FOR
2022

Available Trims & Accessories

- 5/8" J-Channel
- 1/2" J-Channel
- 1/2" F-Channel
- Finish Trim
- Inside Corner Post
- 10'-3" Outside Corner Post



COLOURMATCH

MITTEN® SENTRY® BUILDING PRODUCTS 44 SERIES VINYL SIDING

Our premium product line offers a .044" thick panel and a complete selection of Bold Premium & Natural Standard colour options. Profiles feature a cedar-grain texture in a low-gloss finish with a distinctive deep silhouette for rich shadow lines. Board & Batten profile is also available for vertical applications.

Performance Features:



COLOUR MATCHED ACCESSORIES



PREMIUM .044" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS COLOUR-RICH FINISH



LIFETIME COLOUR FADE PROTECTION



LIMITED LIFETIME WARRANTY

Bold Premium Colours:

| | | | | | | |
|--|---------------------------------------|---|---------------------------------------|--|---------------------------------------|---------------------------------------|
| D4H D4.5DL B&B Huron Blue | D4H D4.5DL B&B Yukon Grey | D4H D4.5DL B&B Timber Bark | | | | |
| D4H D4.5DL B&B Lighthouse Red | D4H D4.5DL B&B Sapphire Blue | D4H D4.5DL B&B Regatta Blue | D4H D4.5DL B&B Eggplant | D4H D4.5DL B&B Annapolis Blue | D4H D4.5DL B&B Aviator Green | D4H D4.5DL B&B Richmond Red |
| D4H D4.5DL B&B Gunmetal Grey | D4H D4.5DL B&B Coffee Bean | D4H D4.5DL B&B Grenadier Green | D4H D4.5DL B&B Muskoka Green | D4H D4.5DL B&B Khaki Brown | D4H D4.5DL B&B Caribou Brown | D4H D4.5DL B&B Rockaway Grey |


Natural Standard Colours:

| | | | | | | |
|-------------------------------------|------------------------------------|-------------------------------|------------------------------------|---------------------------------|------------------------------------|------------------------------------|
| D4H D4.5DL B&B Frost | D4H D4.5DL B&B Bone | D4H D4.5DL B&B Ivory | D4H D4.5DL B&B Cypress | D4H D4.5DL B&B Stratus | D4H D4.5DL B&B Flagstone | D4H D4.5DL B&B Brownstone |
| D4H D4.5DL B&B Hearthstone | D4H D4.5DL B&B Sandalwood | D4H D4.5DL B&B Ash | D4H D4.5DL B&B Sandcastle | D4H D4.5DL B&B Saffron | D4H D4.5DL B&B Satin Grey | D4H D4.5DL B&B Sage |
| D4H D4.5DL B&B Nickel | D4H D4.5DL B&B Indigo | | | | | |

D4H = Double 4" Horizontal
D4.5DL = Double 4.5" Dutchlap
B&B = Board & Batten

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Pictured here in Regatta Blue, Saffron, Grenadier Green, Lighthouse Red & Eggplant



Double 4.5" Dutchlap

Shown in Grenadier Green

Length/Pc:
12'1" 3.68m
Width/Pc:
9" 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.044" 1.12 mm
Windload Data:
180 mph 290 KM/h

Double 4" Horizontal

Shown in Lighthouse Red

Length/Pc:
12'6" 3.81m
Width/Pc:
8" 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. 18.58 m²
Nom. Thickness:
.044" 1.12 mm
Windload Data:
180 mph 290 KM/h

Board & Batten

Shown in Yukon Grey


Length/Pc:
10' 3.04cm
Width/Pc:
7" 17.78cm
Panels/Ctn:
17
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nom. Thickness:
Standard Colours
.045" 1.14 mm
Premium Colours
.050" 1.27 mm
Windload Data:
195 mph 313KM/h



Rich cedar grain texture shown in Rockaway Grey

Trims & Accessories:

Sentry also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.




COLOURMATCH

MITTEN[®] BUILDING PRODUCTS

HIGHLAND[®] 42 SERIES VINYL SIDING

Highland is our most complete product line offering a wide selection of six different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Nickel

Performance Features:

- COLOUR MATCHED ACCESSORIES
- PREMIUM .042" THICKNESS
- HURRICANE FORCE WIND SPEED RATED
- CONTOURED LOCK SYSTEM
- ROLL-OVER NAIL HEM
- LOW GLOSS COLOUR-RICH FINISH
- LIFETIME COLOUR FADE PROTECTION
- LIMITED LIFETIME WARRANTY

Bold Premium Colours:

| | | |
|---|---|---|
| D4H D4.5DL D5DL T3H Khaki Brown | D4H D4.5DL D5DL T3H Rockaway Grey | D4H D4.5DL D5DL T3H Grenadier Green |
|---|---|---|


Trims & Accessories

Highland also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

Natural Standard Colours:

| | | | | | | |
|---|--|--|--|---|--|--|
| D4H D4.5H D4.5DL D5H D5DL T3H Frost | D4H D4.5H D4.5DL D5H D5DL T3H Bone | D4H D4.5H D4.5DL D5H D5DL T3H Ivory | D4H D4.5H D4.5DL D5H D5DL T3H Cypress | D4H D4.5H D4.5DL D5H D5DL T3H Stratus | D4H D4.5H D4.5DL D5H D5DL T3H Flagstone | D4H D4.5H D4.5DL D5H D5DL T3H Brownstone |
| D4H D4.5H D4.5DL D5H D5DL T3H Hearthstone | D4H D4.5H D4.5DL D5H D5DL T3H Sandalwood | D4H D4.5H D4.5DL D5H D5DL T3H Ash | D4H D4.5H D4.5DL D5H D5DL T3H Sandcastle | D4H D4.5H D4.5DL D5H D5DL T3H Saffron | D4H D4.5H D4.5DL D5H D5DL T3H Satin Grey | D4H D4.5H D4.5DL D5H D5DL T3H Sage |
| D4H D4.5H D4.5DL D5H D5DL T3H Nickel | D4H D4.5DL D5DL T3H Indigo | D4H = Double 4" Horizontal D4.5DL = Double 4.5" Dutchlap D4.5H = Double 4.5" Horizontal D5DL = Double 5" Dutchlap D5H = Double 5" Horizontal T3H = Triple 3" Horizontal | | | | |

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Triple Three

Shown in
Cypress

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.040" / 1.02 mm
Windload Data:
155 mph / 249 KM/h

Double 5" Horizontal

Shown in
Sandcastle

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 5" Dutchlap

Shown in
Ash

Length/Pc :
12' / 3.66m
Width/Pc:
10" / 25.4cm
Panels/Ctn:
20
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4.5" Horizontal

Shown in
Brownstone

Length/Pc :
12'1" / 3.68cm
Width/Pc:
9" / 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4.5" Dutchlap


Shown in Nickel

Length/Pc :
12'1" / 3.68cm
Width/Pc:
9" / 22.86cm
Panels/Ctn:
22
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h

Double 4" Horizontal

Shown in
Khaki Brown

Length/Pc :
12'6" / 3.81m
Width/Pc:
8" / 20.32cm
Panels/Ctn:
24
Coverage/Ctn:
200 sq. ft. / 18.58 m²
Nom. Thickness:
.042" / 1.07 mm
Windload Data:
160 mph / 257 KM/h



COLOURMATCH

MITTEN
BUILDING PRODUCTS

OREGONPRIDE
40 SERIES VINYL SIDING

Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone

Performance Features:



COLOUR MATCHED ACCESSORIES



CLASSIC .040" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS COLOUR-RICH FINISH



LIFETIME COLOUR FADE PROTECTION



LIMITED LIFETIME WARRANTY


Trims & Accessories

Oregon Pride also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

Natural Standard Colours:

| | | | | | | |
|---|--|--|---|---|---|--|
| D4H D4DL D4.5DL D5V Frost | D4H D4DL D4.5DL D5V Bone | D4H D4DL D4.5DL D5V Ivory | D4H D4DL D4.5DL D5V Cypress | D4H D4DL D4.5DL D5V Stratus | D4H D4DL D4.5DL D5V Flagstone | D4H D4DL D4.5DL D5V Brownstone |
| D4H D4DL D4.5DL D5V Hearthstone | D4H D4DL D4.5DL D5V Sandalwood | D4H D4.5DL D5V Ash | D4H D4.5DL D5V Sandcastle | D4H D4.5DL D5V Saffron | D4H D4.5DL D5V Satin Grey | D4H D4.5DL D5V Sage |
| D4H D4DL D4.5DL D5V Nickel | D4H D4.5DL D5V Indigo | D4H = Double 4" Horizontal D4DL = Double 4" Dutchlap D4.5DL = Double 4.5" Dutchlap D5V = Double 5" Vertical | | | | |

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Double 4.5\"/>

Shown in Flagstone

Length/Pc:

12'1\"/>

Width/Pc:

9\"/>

Panels/Ctn:

22

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.040\"/>

Windload Data:

140 mph 225 KM/h

Double 4\"/>

Shown in Brownstone

Length/Pc:

12'6\"/>

Width/Pc:

8\"/>

Panels/Ctn:

24

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.040\"/>

Windload Data:

140 mph 225 KM/h

Double 4\"/>

Shown in Indigo

Length/Pc:

12'6\"/>

Width/Pc:

8\"/>

Panels/Ctn:

24

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.040\"/>

Windload Data:

140 mph 225 KM/h

Double 5\"/>

Shown in Frost

Length/Pc:

12' 3.66m

Width/Pc:

10\"/>

Panels/Ctn:

20

Coverage/Ctn:

200 sq. ft. 18.58 m²


Nom. Thickness:

.040\"/>


Windload Data:

NA

VINYL SIDING TRIMS & ACCESSORIES




COLOURMATCH



1/2" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all soffit applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 50 / 50
Coverage/Carton: 600 LF / 182.88 m



STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.
INSTALLATION NOTE:
Starter strip must be level!



Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



7/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with shake and shingle applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



GALVANIZED STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.
INSTALLATION NOTE:
Starter strip must be level!


Length/Piece: 9'-10" / 2.99 m
Pieces/Carton: 20 / 20
Coverage/Carton: 196 LF / 59.94 m



1/2" F-CHANNEL

Used for soffit applications, installation starting point at the wall.



Length/Piece: 12' / 3.66 m
Pieces/Carton: 30 / 30
Coverage/Carton: 360 LF / 109.73 m



5/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



FINISH TRIM

Used above and below windows & doors and at the top of siding wall at soffit levels for decorative finish.


Length/Piece: 12' / 3.66 m
Pieces/Carton: 40 / 40
Coverage/Carton: 480 LF / 146.30 m



H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 12 / 12
Coverage/Cartron: 144 LF / 36.58 m



RECESSED WINDOW & DOOR TRIM

Used as a return around windows & doors.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 16 / 16
Coverage/Cartron: 192 LF / 58.52 m



BELT LINE

Same function as the H-Trim, to provide a transition between horizontal and vertical siding. Can also be used as a Starter Strip for horizontal to vertical siding applications.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 40 / 40
Coverage/Cartron: 480 LF / 146.30 m



3-1/2" WINDOW & DOOR TRIM

Used around windows & doors for a decorative finish.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 10 / 10
Coverage/Cartron: 120 LF / 36.58 m



DRIP CAP

Used above windows & doors to channel water away from the wall.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 40 / 40
Coverage/Cartron: 480 LF / 146.30 m



FASCIA

Used to provide a decorative finish over the roof rafters.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 10 / 10
Coverage/Cartron: 120 LF / 36.58 m



WINDOW CASING TRIM

Decorative accent for windows.

Length/Piece: 12' / 3.66 m
Pieces/Cartron: 10 / 10
Coverage/Cartron: 120 LF / 36.58 m



FASCIA-J

Used to provide a decorative finish over the roof rafters complete with J-Channel for soffit starting point.


Length/Piece: 12' / 3.66 m
Pieces/Cartron: 20 / 20
Coverage/Cartron: 240 LF / 73.15 m

SIDING

VINYL SIDING TRIMS & ACCESSORIES




COLOURMATCH



INSIDE CORNER POST

Used to join siding panels at the inside corner of the wall.


Length/Piece: 10' / 3.05 m
Pieces/Carton: 20 / 20
Coverage/Carton: 200 LF / 60.96 m



TRADITIONAL 5-1/2" OUTSIDE CORNER POST - 20'

Wider & longer corner application to provide a finished look at the corners of the wall.


Length/Piece: 20' / 6.096 m
Pieces/Carton: 5 / 5
Coverage/Carton: 100 LF / 30.48 m



3" OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.


Length/Piece: 10' / 3.05 m
Pieces/Carton: 12 / 12
Coverage/Carton: 120 LF / 36.58 m



FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Wider & Longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m
Pieces/Carton: 5 / 5
Coverage/Carton: 100 LF / 30.48 m



3" OUTSIDE CORNER POST - 12'

Used to cover corner end of the wall and to provide a finished look.
12' application for longer corners.

Length/Piece: 12' / 3.66 m
Pieces/Carton: 12 / 12
Coverage/Carton: 144 LF / 43.89 m

MITTEN

**Vinyl Trims & Accessories are
colour matched to Mitten Vinyl Siding!**

Please refer to the Vinyl Colour Matrix found on pages 40 & 41
for full product offering

5 Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

5

Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

Did you know? Vinyl siding is the primary cladding material on nearly one third of all new homes built.¹

1 Boosts Curb Appeal



THE COLOURS of Mitten Siding & Accessories are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.

Its unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.

Those who re-sided their homes with vinyl siding recouped more than 74% of that cost when selling.²

2 Weather Resistant

MITTEN SIDING & ACCESSORIES is weather resistant, fade resistant and insect resistant.³



NEVER ABSORBS WATER



FADE RESISTANT



INSECT RESISTANT



3 Never Requires Painting

MITTEN SIDING & ACCESSORIES are third-party tested and certified for quality and colour retention. The colour is inside the product, not on top of the surface. It does not crack, peel or fade.

Vinyl siding requires no painting or caulking, just simple cleaning with a garden hose.



4 High Performance



VIRTUALLY INDESTRUCTIBLE



RESISTS WIND SPEEDS UP TO 195 MPH/313KPH.

5 Peace of Mind




MITTEN SIDING & ACCESSORIES are backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.



LIMITED LIFETIME WARRANTY

MITTEN
BUILDING PRODUCTS


1. Canadian Consumer Practices Report - 2017. Home Innovations Research Center.
2. 2020 Cost vs. Value Report, *Remodeling Magazine*.
3. Vinyl siding is not a weather resistive barrier and must be installed according to installation instructions.



COLOURMATCH

Equinox T3-1/3" Soffit

Premium 10" wide heavy duty soffit engineered to perform. Panels provide a smooth, flat surface and offers the perfect balance of aesthetics and performance.




Features:

- Triple 3-1/3" profile (10" wide)
 - Premium .045" thickness for extra rigidity
 - Deep 1/2" panel projection for sharp definition
 - Solid or Hidden Vent
 - A Hidden Vent system gives your home a clean and stylish look plus superior ventilation performance
- Length/Pc:** 12' (3.66m) **Width/Pc:** 10" (25.4cm)
Panels/Ctn: 20 **Coverage/Ctn:** 200 sq. ft. (18.58 m²)
Net Free Air Intake Per Foot: Vented 8.4 sq. in.

Triple 4" Soffit

U groove designed for greater rigidity, delivering outstanding performance, quality and durability.




Features:

- Triple 4" profile (12" wide)
 - .040" thickness
 - Solid, Lanced or Perforated
- Length/Pc:** 12' (3.66m) **Width/Pc:** 12" (30.48cm)
Panels/Ctn: 16 **Coverage/Ctn:** 192 sq. ft. (17.84 m²)
Net Free Air Intake Per Foot:
Lanced: CV 2.4 sq. in. FV 7.2 sq. in.
Perforated: CV 1.96 sq. in. FV 5.89 sq. in.

Double 5" Soffit

Combines U groove design and attractive appearance with the rigidity and durability of premium vinyl.



Features:

- Double 5" profile (10" wide)
 - .040" thickness
 - Solid or Perforated
 - Non-ventilated panels may also be used as vertical siding accent
- Length/Pc:** 12' (3.66m) **Width/Pc:** 10" (25.4cm) **Panels/Ctn:** 20
Coverage/Ctn: 200 sq. ft. (18.58 m²)
Net Free Air Intake Per Foot:
Perforated Full Vent: 4.2 sq. in.

Rustic Colours:



NEW FOR 2022

Natural Standard Colours:



ET3-1/3" = Equinox T3.5" Soffit
D5" = Double 5" Soffit
B7" = 7" Beaded Soffit
T4" = Triple 4" Soffit
JF8" = Jamb-Fit™ 8" Soffit
JF16" = Jamb-Fit™ 16" Soffit

* For Soffit applications only.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Vinyl Soffit provides essential ventilation and air movement through the roof structure, eliminating moisture that can cause rotting and decay. It will not rot, peel, chip, flake or blister and vinyl never needs to be painted. All Mitten Vinyl Soffit products feature a Limited Lifetime Warranty.

7" Beaded Soffit

7" wide panel ideal for porch ceilings or to cover up larger areas, adding character and a traditional finishing touch.



Features

- Single 7" wide profile
- .040" thickness
- Solid or Hidden Vent
- A hidden vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)


Width/Pc: 7" (17.8cm) **Panels/Ctn:** 28

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: Vented 2.66 sq. in.

Jamb-Fit™ 8" Soffit

A durable soffit with an easy to install slide lock.



Features:

- Double 4" profile (8" wide)
- .040" thickness
- Solid or Vented

Length/Pc: 12' (3.66m)

Width/Pc: 8" (20.32cm)

Panels/Ctn: 24

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: 3.14

Jamb-Fit™ 16" Soffit

A wider soffit panel providing easy transition from eaves to wider overhangs, complete with an easy to install slide lock.



Features:

- Quad 4" profile (16" wide)
- .040" thickness
- Solid or Vented

Length/Pc: 12' (3.66m)

Width/Pc: 16" (40.64cm) **Panels/Ctn:** 12

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: 6.26

MITTEN PLEASANTVIEW

BUILDING PRODUCTS

SKIRTING

- Skirting secures to the perimeter of any mobile home, cottage, deck or foundation
- Vinyl skirting will not rot, peel, flake or blister. No need to paint - ever
- Ventilated panels encourage air flow and reduce moisture build-up and musty odours
- Front rail pops up so skirting can be easily removed to access storage areas
- Available in Frost to complement any application
- A great alternative to wooden lattice as it won't attract termites

| | TRIPLE 4" SKIRTING | | FRONT/BACK BOTTOM RAIL | |
|---------------------|--------------------|----------------------|------------------------|----------------------|
| Length/Pc | 12' | 3.66 m | 12' | 3.66 m |
| Width/Pc | 12" | 30.48 cm | -- | -- |
| Panels/Ctn | 16 | 16 | 16 | 16 |
| Coverage/Ctn | 192 sq. ft. | 17.84 m ² | 192 LF | 58.52 m ² |

Note: Vented Skirting has 14 pcs/ctn. covering 168 sq. ft./15.6 m²





























The reliability of
prefinished steel
with the timeless
beauty of wood

CCMC #14137-L Compliant

- LUX Panel is available in any custom length from 4' to 24'
- No minimum order required
- Premium Kynar finish - durable and long lasting
- Full line of standard & custom flashings available
- Non-combustible
- 25-Year finish warranty
- Optional venting
- Impenetrable to insects
- Water resistant
- Manufactured in Canada
- LUX passes the CAN/ULC S102-10 with a ZERO Flame Spread rating!
- LUX passes ASTM B117 Salt Spray Test
- LUX meets and conforms to CGSB-93.4-92 as per Standards Council of Canada, National Research Council Canada, National Building Code of Canada
- LUX passed the National Research Council of Canada Wind Load Test

LUX
COLOURS



C = Custom Length Program
B = 12' LUXLAP Box Program
RP = Random Plank, Privacy Fence & Folded Wall Program

SMOOTH V-GROOVE PANELS

4" V-Groove



6" V-Groove



SOFFIT PANELS

4" & 6"
V-Groove
Vented Soffit



Double 7



Double 7 Vented



THE LUX RANDOM PLANK

The Random Plank wall cladding is a product of meticulous craftsmanship that joins together easily to form a sophisticated architectural panel.

The Random Plank can be created in any of the LUX colours. This product has been immensely successful in finding its place on contemporary residential, multi-unit residential and even as an indoor fireplace surround.



LUXLAP

The LUXLAP Panel is sold by the box, and it's available in 7 woodgrain and 5 knotty woodgrain colours in 4" and 6" V-Groove profiles. The 4" profile contains ten 12' long panels covering 40sq. ft. and the 6" profiles contains eight 12' long panels covering 48sq. ft. LUXLAP fits perfectly into the next panel meaning that it can be installed without interruption by a joiner trim or unsightly butt joint. Unlike other metal cladding systems, LUXLAP's interlocking design and 24 gauge steel gives you superior rigidity and hidden seams at infinite lengths.





Steel is a low maintenance, stylish and durable choice!

Exceptional Beauty, Unbeatable Strength

- Available in five different profiles: D4, D5, DL5, S8 and B&B
- 20 colours
- Matching Trims & Accessories
- Limited Lifetime Warranty on defects plus 50-year hail and 25-year chalk/fade

Premier Performance

FADE, FIRE AND IMPACT RESISTANT

- Exceptional colour retention
- Class A/Class 1 fire rating
- Tough against bumps and dents

IDEAL IN EXTREME WEATHER CONDITIONS

- Protected from harsh weather elements like hail or wind
- Does not absorb water like other cladding options
- Withstands extreme temperature changes

SUSTAINABLE STEEL

- We value the environment and strive to minimize our footprint
- Steel is 100% recyclable
- Made from approximately 50% recycled materials

BACKED BY AN INDUSTRY LEADING WARRANTY

- Instills peace of mind
- Limited Lifetime Warranty including 50-year hail and 35-year chalk and fade

| | | | | | | |
|---|---|--|---|--|--|--|
| D4H D5H D5DL S8H B&B White | D4H D5H D5DL S8H B&B Natural Slate | D4H D5H D5DL S8H B&B Charcoal Grey | D4H D5H D5DL S8H B&B Deep Granite | D4H D5H D5DL S8H B&B Quiet Willow | D4H D5H D5DL S8H B&B Musket Brown | D4H D5H D5DL S8H B&B Terra Bronze |
| D4H D5H D5DL S8H B&B Brandy Wood | D4H D5H D5DL S8H B&B Montana Suede | D4H D5H D5DL S8H B&B Pebblestone Clay | D4H D5H D5DL S8H B&B Rugged Canyon | D4H D5H D5DL S8H B&B Mahogany | D4H D5H D5DL S8H B&B Red Brick | D4H D5H D5DL S8H B&B Newport Bay |
| D4H D5H D5DL S8H B&B Dark Bronze | D4H D5H D5DL S8H B&B Jefferson Tan | D4H D5H D5DL S8H B&B Wicker | D4H D5H D5DL S8H B&B Almond | D4H D5H D5DL S8H B&B Cameo | D4H D5H D5DL S8H B&B Desert Sand | |

D4H = Double 4" Horizontal
D5DL = Double 5" Dutchlap
B&B = Board & Batten

D5H = Double 5" Horizontal
S8H = Single 8" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

CERTIFICATE OF CONFORMANCE / WARRANTY

| PRODUCT PHYSICALS | | | |
|--|----------------------------------|-----------------------------|-----------|
| TEST | STANDARD METHOD | UNITS OF MEASURE | RESULT |
| IZOD Impact (0°C/32°F) | ASTM D-256 | ft/lb/in. | 3.53 |
| IZOD Impact (23°C/73°F) | ASTM D-256 | ft/lb/in. | 33.9 |
| Tensile Strength | ASTM D-638 | PSI | 8200 |
| Modulus of elasticity | ASTM D-638 | PSI | 370000 |
| Deflection of temperature under load @ 264 PSI | ASTM D-648 | °F | 163 |
| Coefficient of linear expansion | ASTM D-696 | x10 ⁵ in./in./°F | 4.3 |
| Chemical Resistance | ASTM D-543 | | excellent |
| Cell classification | ASTM D-1784 | class# | 13544-B |
| FIRE RELATED PROPERTIES - PVC | | | |
| Flame spread index | ASTM E-84, UBC 42-1 | | 18 |
| Fuel contribution | | | 0 |
| Self ignition temperature, °F | ASTM D-1929, UBC 52-3 | | 810 |
| Smoke density rating (%) | ASTM D-2843, UBC 52-2 | | 42.1 |
| Maximum smoke density (%) | | | 56.0 |
| Visibility of exit sign | | | Good |
| Total burn time, seconds | ASTM D-635 | | <5 |
| Extent of burning, mm | | | <5 |
| SIDING/EXTRUDATE TYPICAL PHYSICAL PROPERTIES | | | |
| Impact Resistance (23°C/73°F) | ASTM D-4226 | in-lb | >80 |
| Low Temperature flexibility | CGSB41-GP-24Ma | % pass | >80 |
| Shrinkage/reversion | ASTM D-1042 | % | <3.0 |
| Surface Distortion | CGSB41-GP-24Ma ASTM D-3679-02 | °F | >131 |

CODES/STANDARDS - Mitten Vinyl Siding conforms and/or surpasses certification standards in many countries.

CANADA

CAN/CGSB-41.24.95
CCMC Acceptance No. 06419L

UNITED STATES OF AMERICA

ASTM 3679
UBC Standard 14-2
NES NER 528

AUSTRALIA

AS/NZ S4256 Type B

EUROPE

CE Certification

Warranty:

All Mitten Vinyl products are covered by a Lifetime Limited Warranty. See warranty or visit mittensiding.com for details and limitations.

NES Certification: Mitten has received confirmation by the National Evaluation Service, Inc. (NES) at nateval.org that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.

VSI online at vinylsiding.org

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.

VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit vinylsiding.org.

ALUMINUM

M SERIES ALUMINUM

M SERIES ALUMINUM products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories offer an assortment of styles as well as a selection of colours designed to match or complement Mitten vinyl siding.



AVAILABLE COLOURS

| | | | | | | |
|--|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Black | White | Bone | Brownstone | Dark Bronze | Hearthstone | Iron Ore |
|  |  |  |  |  |  | |
| Musket Brown | Rockaway Grey | Slate | Stratus | Terratone | * Flagstone | |

* Eastern
Canada only

ALUMINUM

SOFFIT & FASCIA

A COMPLEMENTARY FINISH

M-Series Soffit & Fascia features a durable, virtually maintenance-free finish and are easy to install. Venting options in soffit help create positive air flow in the attic and rafters to help prevent moisture buildup and add a lasting finishing touch to your soffit application with M-Series Aluminum Fascia.



AVAILABLE PRODUCTS

TRIM COIL

Cuts Clean, Bends Sharp, Lays Flat.

M-Series trim coil meets or exceeds aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness).


- 24" x 98' (60cm x 30m)
Heavy Trim Coil
1 side painted
- 24" x 98' (60cm x 30m)
Heavy Trim Coil
2 sides painted

Available in all M-Series colours



QUAD 4 SOFFIT

- Available in Solid and Full Vent profiles
- Full Vent offers 10.39 sq./in per lin/ft of net free air space



FASCIA


- Available in 6", 8"†, 8-1/2"* and 10" widths

† Eastern Canada Only
* Western Canada Only




ACCESSORIES

M-SERIES offers a complete line of accessories that work in harmony with each product in our aluminum program. Our J-channels and Drip Edge blend into the overall look and feel of your home.



J-Channel



Drip Edge


RAINWARE




A Beautifully Defensive Solution

M-SERIES rainware products systematically provide years of lasting protection.

You will find a complete line of quality gutter coil, downpipe and elbows to whisk away water.




Gutter Coil



Downpipe



Elbows



| | | | |
|---|----------|-------------------|-------------------|
| FOR <u>NEW</u> RAIN GUTTERS IN DEBRIS AREA | ✓ | | |
| FOR <u>NEW</u> RAIN GUTTERS IN TREELESS AREA | | ✓ | |
| INSTALLS <u>OVER</u> EXISTING RAIN GUTTERS | | | ✓ |
| Strengthens gutters to support 250 lb per linear foot | ✓ | ✓ | |
| Fastens gutters to the house | ✓ | ✓ | |
| Replaces spikes and hangers | ✓ | ✓ | |
| Protects gutters from pine needles | ✓ | | |
| Protects gutters from leaves and debris | ✓ | ✓ | ✓ |
| Can handle 29.7" (754 mm) of water per hour | ✓ | ✓ | ✓ |
| Reduces problems with ice and snow | ✓ | ✓ | ✓ |
| Warranty on material | LIFETIME | LIFETIME | 40 YEARS |
| Warranty on sturdiness | LIFETIME | LIFETIME | |
| Clog-free warranty against leaves | LIFETIME | 40 YEARS PRORATED | 40 YEARS PRORATED |
| Clog-free warranty against pine needles | LIFETIME | | |



double pro[®]
MICROFILTRATION CONTINUOUS HANGER™



eclipse™ TECHNOLOGY

The double membrane keeps debris from getting inside the gutter. The offset holes make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.




vortex™ TECHNOLOGY

The suction created by the two membranes makes it possible to drain three times more water than ever recorded in the heaviest storms. The inner membrane draws water through the wider holes.



WATCH THE VIDEO 





MITTEN
BUILDING PRODUCTS

MITTEN COLOUR MATCHED 8' Shake



ROUGH SAWN 8' SHAKE

Shown in Yukon Grey

Length/Pc: 96.5" - 245.11 cm

Width/Pc: 8.5" - 21.59 cm


Panels/Ctn: 22

Coverage/Ctn: Approx. 1 square

Exclusive National Distributor

A low maintenance alternative to cedar shakes, at a fraction of the cost, with high attachment to vinyl siding

- Mix & Match with Mitten vinyl siding
- Naturally textured surfaces
- Staggered butt ends for realistic look
- Resists the effects of sun, heat and cold
- 25 of the most popular Mitten colours
- Corners & Half-Rounds also available



NovikShake NP

Shown in Rockaway Grey


NOVIK
SHAKES, STONE AND ACCENTS

NovikShake NP Northern Perfection

For the look of real cedar... with no upkeep!

- Mix & match with Mitten vinyl siding
- Realistic wood grain texture
- Complements all types of siding
- Impervious to moisture, will not rot, split or decay
- Lightweight yet rigid material
- Quick & easy to install
- Corners also available in matching colours
- Virtually maintenance free
- Certification: CCMC 13420-R

Northern Perfection Colours:




Length/Pc:
46.88" (119.06cm)

Width/Pc:
16.5" (41.91cm)

Panels/Ctn: 11

Coverage/Ctn:
48.84 sq. ft. (4.54 m²)



Due to the printing process colours may not be exactly as shown.

Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



NovikShake™ is a low maintenance alternative to cedar shakes, at a fraction of the cost

SHAKES, STONE AND ACCENTS

NovikShake RS8

ROUGH SAWN 8" SHAKE
Shown in Mitten Nickel



Length/Pc: 96.5" (245.11 cm)
Width/Pc: 8.5" (21.59 cm)
Panels/Ctn: 22 **Coverage/Ctn:** Approx. 1 square

NovikShake HS

HAND-SPLIT SHAKE
Shown in Novik Brownstone



Length/Pc: 48.38" (122.87 cm)
Width/Pc: 18.75" (47.63 cm)
Panels/Ctn: 9 **Coverage/Ctn:** Approx. 1/2 square

NovikShake RS

ROUGH SAWN SHAKE
Shown in Novik Windsor Blue



Length/Pc: 48.75" (123.83 cm)
Width/Pc: 14.5" (36.83 cm)
Panels/Ctn: 12 **Coverage/Ctn:** Approx. 1/2 square

NovikShake HR

HALF-ROUND
Shown in Mitten Brownstone



Length/Pc: 32" (81.3 cm)
Width/Pc: 10" (25.4 cm)
Panels/Ctn: 22 **Coverage/Ctn:** Approx. 1/3 square

- Made in Canada
- Exclusive National Distributor
- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit™ features that simplify installation
- Impervious to moisture, can be installed right up to the roof line
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime limited warranty



NovikStone™ products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched

SHAKES, STONE AND ACCENTS

NovikStone DS

CARRARA COLLECTION - Shown in Grigio



Length/Pc: 41.5" (105.41 cm)
Width/Pc: 13.13" (33.34 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/4 square

NovikStone

ARTISAN CUT - Shown in Castle



Length/Pc: 45" (114.3 cm)
Width/Pc: 20.25" (51.44 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikStone DS

DRY STACK STONE - Shown in Anthracite



Length/Pc: 41.5" (105.41 cm)
Width/Pc: 13.13" (33.34 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/4 square

NovikStone SK

STACKED STONE - Shown in Smoke Gray



Length/Pc: 45" (114.3 cm)
Width/Pc: 20.25" (51.44 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square

NovikStone PHC

PREMIUM HAND-CUT STONE
Shown in Misty Beige



Length/Pc: 48" (121.92 cm)
Width/Pc: 18.5" (47 cm)
Panels/Ctn: 9 **Coverage/Ctn:** Approx. 1/2 square


















NovikStone FS

FIELDSTONE
Shown in Rocky Mountain



Length/Pc: 50" (127 cm)
Width/Pc: 19.13" (48.58 cm)
Panels/Ctn: 10 **Coverage/Ctn:** Approx. 1/2 square



NovikShake™ Colour Chart

| Stain Natural Colour Collection | | | | | | | |
|---|-----|-----------------|-----|----|----|----|----------------------|
| Colour Chips | # | Colour | RS8 | RS | HS | HR | Novik Trim |
|  | 301 | Oak | • | | | | Mountain Cedar #651 |
|  | 303 | Walnut | • | | | | Brown #667 |
|  | 304 | Teak | • | | | | Red Amber #652 |
|  | 305 | Ebony | • | | | | Burnished Slate #682 |
|  | 306 | Sequoia | • | | | | Barb Red # 198 |
| Blended Colour Collection | | | | | | | |
| Colour Chips | # | Colour | RS8 | RS | HS | HR | Novik Trim |
|  | 201 | Weathered Blend | • | • | • | | Weathered Blend #201 |
|  | 202 | Cedar Blend | • | • | • | | Cedar Blend #202 |
|  | 208 | Canyon Blend | • | • | • | | Canyon Blend #208 |
|  | 229 | Basalt | • | • | • | | Canyon Blend #208 |
|  | 231 | Brownstone | • | • | • | | Cedar Blend #202 |
|  | 233 | Anthracite | • | • | • | | Onyx #223 |
| Solid Colour Collection | | | | | | | |
| Colour Chips | # | Colour | RS8 | RS | HS | HR | Novik Trim |
|  | 001 | White | • | • | • | • | White #001 |
|  | 063 | Heritage Gray | • | • | • | • | Heritage Gray #063 |
|  | 064 | Sandstone | • | • | • | • | Sandstone #064 |
|  | 486 | Windsor Blue | • | • | • | • | Windsor Blue #486 |
|  | 487 | Brunswick Green | • | • | • | • | Brunswick Green #487 |
|  | 485 | Coventry Gray | • | • | • | • | Coventry Gray #485 |

NovikShake Legend

RS8 - Rough Sawn 8' Shake
RS - Rough Sawn Shake
HS - Hand Split Shake
HR - Half Round

NovikStone™ Colour Chart

| Colour Chips | # | Colour | DS | SK | PHC | FS | AC | CC | Novik Trim |
|---|------|-----------------|----|----|-----|----|----|----|-----------------------|
|  | 262 | Castle | | | | | | • | Canyon Blend #208 |
|  | 263 | Latte | | | | | | • | Weathered Blend #201 |
|  | 1000 | Grigio | | | | | | • | Heritage Gray #063 |
|  | 229 | Basalt | • | | | | | | Canyon Blend #208 |
|  | 231 | Brownstone | • | | | | | | Cedar Blend #202 |
|  | 233 | Anthracite | • | | | | | | Onyx #223 |
|  | 234 | Travertine | • | | | | | | Heritage Gray #063 |
|  | 235 | Limestone | • | | | | | | Weathered Blend #201 |
|  | 236 | Lava | • | | | | | | Onyx # 223 |
|  | 237 | Flint | • | | | | | | Gray Black Blend #206 |
|  | 216 | Aspen | | • | | | | | Weathered Blend #201 |
|  | 217 | Smoke Gray | | • | | | | | Weathered Blend #201 |
|  | 218 | Moka | | • | | | | | Weathered Blend #201 |
|  | 219 | Terra | | • | | | | | Terra #219 |
|  | 223 | Onyx | • | • | • | | | | Onyx #223 |
|  | 224 | Sand Blend | | • | | | | | Sand Blend #224 |
|  | 225 | Smoke White | | | | • | | | Weathered Blend #201 |
|  | 226 | Shadow Gray | | | | • | | | Gray Black Blend #206 |
|  | 227 | Misty Beige | | | | • | | | Cedar Blend #202 |
|  | 238 | Grand Canyon | | | | | • | | Gray Mortar #681 |
|  | 240 | Adirondacks | | | | | • | | Gray Mortar #681 |
|  | 242 | Rocky Mountains | | | | | • | | Gray Mortar # 681 |

NovikStone Legend

DS - Dry Stack Stone
SK - Stacked Stone
PHC - Premium Hand-cut Stone

FS - Fieldstone
AC - Artisan Cut
CC - Carrara Collection



FOUNDRY SHAKE

- Easy to install as an accent or on large coverage areas
- Cast in real cedar molds creating extraordinary authenticity
- Available in a wide range of colours including The Foundry Weathered Collection and a match to Mitten vinyl colours



7" Split Shake

Shown in Lite Khaki


Length/Pc:
60.75" 1.54m
Width/Pc:
7" 17.78cm
Panels/Ctn:
34
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nominal Thickness:
0.45" 1.14mm



7" Staggered Shake

Shown in Red Cedar

Length/Pc:
60.75" 1.54m
Width/Pc:
7" 17.78cm
Panels/Ctn:
17
Coverage/Ctn:
50 sq. ft. 4.65 m²
Nominal Thickness:
0.50" 1.27mm



10" Staggered Shake

Shown in Russet

Length/Pc:
62.5" 1.59m
Width/Pc:
10" 25.4cm
Panels/Ctn:
23
Coverage/Ctn:
100 sq. ft. 9.29 m²
Nominal Thickness:
0.50" 1.27mm

MITTEN & NOVIK COLOURS

| | MITTEN COLOUR MATCHED SHAKE | | | | | | | | | | | | | | |
|-----------------------|-----------------------------|--------------------|---------------------------|-----------------------------|------------------|---------------------|-----------------|--------------------|-----------|-----------------------|---------------|----------------------|-------------------------|--------------------------------|--------------|
| | 8" Shake | Cedar Shake Corner | Northern Perfection Shake | Northern Perfection Corners | Half Round Panel | NOVIK SHAKE & STONE | RS8 Cedar Shake | Cedar Shake Corner | Dry Stack | Dry Stack 2 Pc Corner | Stacked Stone | Stacked Stone Corner | NovikStone Prem. Ledger | NovikStone Prem. Ledger Corner | NovikTrim 1" |
| Bone #091M | | • | • | | | • | | | | | | | | | |
| Satin Grey #149M | | • | • | | | | | | | | | | | | |
| Frost #501M | | • | • | | | • | | | | | | | | | |
| Khaki Brown #669M | | • | • | | | | | | | | | | | | |
| Richmond Red #676M | | • | • | | | | | | | | | | | | |
| Sandalwood #697M | | • | • | | | | | | | | | | | | |
| Brownstone #698M | | • | • | • | • | • | | | | | | | | | |
| Flagstone #801M | | • | • | | | | | | | | | | | | |
| Stratus #803M | | • | • | | | | | | | | | | | | |
| Hearthstone #804M | | • | • | | | | | | | | | | | | |
| Sage #807M | | • | • | | | | | | | | | | | | |
| Huron Blue #474M | | • | • | | | | | | | | | | | | |
| Yukon Grey #473M | | • | • | | | | | | | | | | | | |
| Sapphire Blue #942M | | • | • | | | | | | | | | | | | |
| Muskoka Green #461M | | • | • | | | | | | | | | | | | |
| Annapolis Blue #853M | | • | • | | | | | | | | | | | | |
| Timber Bark #954M | | • | • | | | | | | | | | | | | |
| Regatta Blue #955M | | • | • | | | | | | | | | | | | |
| Gunmetal Grey #956M | | • | • | • | • | | | | | | | | | | |
| Coffee Bean #990M | | • | • | • | • | | | | | | | | | | |
| Rockaway Grey #989M | | • | • | • | • | | | | | | | | | | |
| Ivory #094M | | • | • | | | | | | | | | | | | |
| Nickel #452M | | • | • | | | | | | | | | | | | |
| Indigo #451M | | • | • | | | | | | | | | | | | |
| Grenadier Green #866M | | • | • | | | | | | | | | | | | |
| White #001 | | | | | | | • | | | | | | | | • |
| Heritage Grey #063 | | | | | | | • | • | | | | | | | • |
| Sandstone #064 | | | | | | | • | • | | | | | | | • |
| Weathered Blend #201 | | | | | | | • | • | | | | | • | • | • |
| Cedar Blend #202 | | | | | | | • | • | | | | | | | • |
| Canyon Blend #208 | | | | | | | • | • | | | | | | | • |
| Aspen #216 | | | | | | | | | | | • | • | | | |
| Smoke Grey #217 | | | | | | | | | | | • | • | | | |
| Moka #218 | | | | | | | | | | | • | • | | | |
| Onyx #223 | | | | | | | | | | | • | • | • | • | • |
| Sand Blend #224 | | | | | | | | | | | • | • | | | |
| Basalt #229 | | | | | | | • | • | • | • | | | | | |
| Brownstone #231 | | | | | | | • | | • | • | | | | | |
| Anthracite #233 | | | | | | | • | • | • | • | | | | | |
| Travertine #234 | | | | | | | | | • | • | | | | | |
| Limestone #235 | | | | | | | | | • | • | | | | | |
| Lava #236 | | | | | | | | | • | • | | | | | |
| Flint #237 | | | | | | | | | • | • | | | | | |
| Oak #301 | | | | | | | • | | | | | | | | • |
| Ebony #305 | | | | | | | • | • | | | | | | | |
| Gray Mortar #681 | | | | | | | | | | | | | • | • | |
| Rockaway Grey #925 | | | | | | | • | | | | | | | | |
| Teak #304 | | | | | | | • | | | | | | | | |
| Walnut #303 | | | | | | | • | | | | | | | | |
| Grey Black Blend #206 | | | | | | | | | | | | | | | |

FOUNDRY COLOURS

| | FOUNDRY | | | | 7" Spilt Shake | 7" Staggered Shake | 7" Shake Corner | 1" J Channel |
|--------------------|---------|---|---|---|----------------|--------------------|-----------------|--------------|
| Eggshell #034 | | | • | | | | | |
| Shadow #008 | | | • | | | | | • |
| Snow #123 | | • | | • | | | | |
| Eastern Grey #258 | | | • | | | | | • |
| Oatmeal #069 | | | • | | | | | |
| Grass Green #528 | | | • | | | | | |
| Flagstone #580 | | | • | | | | | |
| Vanilla Bean #804 | | | | | • | | | |
| Rustic Cedar #809 | | | • | • | | | | |
| Vintage Taupe #820 | | | • | | | • | | |
| Harvest Wheat #822 | | | • | • | • | | | |
| Colonial Grey #827 | | | • | • | • | | | |
| Rustic Brown #828 | | • | | • | • | | | |
| Sandalwood #821 | | | | | • | • | | |
| Moon Rock #826 | | | | | • | • | | |
| Briarwood #235 | | | | | | | | • |
| Tumbleweed #179 | | | | | | | | • |
| Driftwood #180 | | | | | | | | • |
| Sahara #048 | | | • | | | | | |
| Toffee #246 | | | | | | | | |

VERSETTA COLOURS

| | VERSETTA STONE | | | | | | | |
|---------------|----------------|------------------|-----------|---------------|--------------|-----------|----------------|--|
| | Flat Panel | Universal Corner | J-Channel | Starter Strip | Wainscot Cap | Light Box | Receptacle Box | |
| Terra Rosa | • | • | | | | | | |
| Sterling | • | • | | | | | | |
| Sand | | • | | | | | | |
| Plum Creek | • | • | | | | | | |
| Northern Ash | • | • | | | | | | |
| Mission Point | • | • | | | | | | |
| Charcoal | | | | | • | • | • | |
| Taupe | | | • | • | • | • | • | |
| Stone Grey | | | | | • | | | |

GENSTONE COLOURS

| | GENSTONE | | | | | | | | | | |
|----------------|---------------|---------------------|--------|--------------------|--------|----------------------|-----------------------------|--------------------|----------------------|----------------------------|-------------------------|
| | Stacked Stone | Stacked Stone Right | Return | Stacked Stone Left | Return | Stacked Stone Corner | Stacked Stone Inside Corner | Stacked Stone Trim | Stacked Stone Ledger | Stacked Stone Pillar Panel | Stacked Stone Paint Kit |
| Northern Slate | | • | • | • | • | • | | • | • | • | • |
| Vanilla Bean | | • | • | • | • | • | | • | • | • | • |
| Stratford | | • | • | • | • | • | | • | • | | • |
| Coffee | | | | • | • | • | | | | | • |
| Iron Ore | | • | • | • | • | • | | | • | | • |
| Kenai | | • | • | • | • | • | | • | • | | • |
| KeyStone | | | | • | • | • | | • | • | | • |
| Desert Sunrise | | • | • | • | • | • | | • | • | | • |

29



GenStone®
The Beauty of Stone Made Easy™

- Exclusive distributor in Canada
- Appearance of real masonry at a fraction of the cost
- Available in smaller pack sizes (6 panels per carton)
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four patterns for an authentic finish
- 25-year limited warranty

GenStone Stacked Stone / Length/Pc: 41" (1.0414m) - Width/Pc: 11.25" (28.575cm)



Northern Slate



Vanilla Bean



Kenai



Keystone



Coffee



Iron Ore



Desert Sunrise



Stratford

TRIMS & ACCESSORIES



Pillar



Inside Corner



Outside Corner



Flat Pillar Cap



Peaked Pillar Cap



Ledger



Trim



Left & Right Returns



Outside Corner Ledger



Inside Corner Ledger




Wall Cap




VERSETTA STONE®

The beauty of stone,
the simplicity of siding.

- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions
- Indoor/Outdoor application
- **110 MPH** Wind Resistance
- **60-Year** Corrosion Resistant Nailing Flange
- **50-Year** Transferable Warranty
- Class A Fire Rating
- ICC Evaluation Service Report ESR-2859



TERRA ROSA



STERLING



SAND



PLUM CREEK



NORTHERN ASH



MISSION POINT

UNIVERSAL CORNER



The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners.

FLAT PANEL



The main component of the Boral Versetta Stone® system, the Flat panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nailing flange that allows for easy installation with mechanical fasteners. The built-in rain screen and other moisture management features ensure proper water drainage.


LEDGESTONE - The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.

PANEL DIMENSIONS


Height: 8" Length/Pc: 36"

Note: Each panel covers 2 sq. ft.


THE VERSETTA STONE® SYSTEM




Universal Corner




Flat Panel




J-Channel



Starter Strip



Wainscot Cap



Light Box



Receptacle Box



Trim Stone



Vinyl Windows



- Designs made for the various architectural style of your home
- Dual and triple-glazed insulated glass

Clad Vinyl Windows



- Durable Aluminum exterior
- Low-maintenance Vinyl interior
- Double & Triple-glazed insulated glass

Clad Wood Windows



- Durable Aluminum exterior
- Wood interior
- Double & Triple-glazed insulated glass

Design Arch Windows



- Durable Aluminum exterior
- Stylish Aluminum interior
- Double & Triple-glazed insulated glass



A cost effective solution to add exterior and interior colour to vinyl windows and patio doors



Features and Benefits

- Multi-layered film is applied to vinyl using polyurethane reactive hot melt to create permanent bond between wrap and vinyl
- Easily withstands the most extreme heat and cold conditions
- Extremely resistant to scratches and abrasions
- Unaffected by environmental pollutants
- Performs well in sea-side applications
- Dirt and grime are easily cleaned away using normal mild household cleaners





Fiberglass Woodgrain Entry Doors

- The beauty of traditional woodgrain doors
- Will not warp, rot or rust
- Four woodgrain patterns to choose from
- Can be stained or painted to complement your home's colour scheme
- Compression molded for high impact strength



Fiberglass Smooth Entry Doors

- Smooth fiberglass door holds paint better than traditional wood doors
- Will not warp, rot or rust
- More durable than wood
- Insulates up to six times better than wood doors
- A variety of flush and embossed panels available, many with glass options



Steel Smooth Entry Doors

- One of the most secure entry doors you can buy
- The steel skin prevents rotting, swelling and cracking
- Does not absorb moisture like wood so it holds paint longer for a bright entrance
- Helps insulate from heat, cold and outside noise

Patio Doors Sliding and Swinging



- Multiple sliding patio doors to choose from, designed to coordinate with our windows
- Patio doors made to match your windows
- Hybrid aluminum clad vinyl doors have colourful and durable aluminum-cladding on the outside
- Interiors are fine grain textured wood which can be stained or painted to match your decor
- Inswing or outswing styles are available



Storm Doors Aluminum or Vinyl

- Let in natural light and ventilation
- Provides protection from the elements
- Available in many styles from classic to modern in a variety of colours
- Comes with a retractable screen and locking lever handles

Ply Gem Products are:

Energy efficient to save on heating & cooling costs: In an average building, up to 40% of heat loss is due to old windows that are not airtight. When it comes to energy efficiency, Ply Gem is the leader in offering a wide variety of frame, sash and glass options.

Durable and long lasting: Ply Gem stands for quality products built to the tough standards of an industry leader. Cladding options in vinyl, aluminum and wood offer you the choice of long lasting windows & doors designed to perform in the tough Canadian climate.

Made in Canada: Ply Gem windows & doors are subject to the strict quality criteria prevailing in Canada.

Backed by superior service: The Ply Gem dealer network provides consistent installation practices with excellent on-site support. Ply Gem dealers offer premium service — both before and after the purchase.

Ply Gem Canada Windows are ENERGY STAR certified




COLOURMATCH



Universal J-Block® Square Mounting Block

The J-Block® is designed to easily & attractively mount light fixtures & receptacles. Also offered in Scroll Cut.


| | |
|---------------------|--|
| SURFACE DIMENSIONS: | 5" x 6" |
| FLANGE DIMENSIONS: | 7-1/2" x 8-1/2" |
| J-CHANNEL I.D.: | 1/2" adjusts to 1-1/4" |
| KNOCKOUTS: | Round: 4" Diameter Rectangle: 2-3/8" x 3-3/4" |



Universal Large J-Block® Mounting Block

The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes. Also offered in Scroll Cut.


| | |
|---------------------|----------------------------|
| SURFACE DIMENSIONS: | 6" x 10-1/8" |
| FLANGE DIMENSIONS: | 8-5/8" x 12-7/8" |
| J-CHANNEL I.D.: | 1/2" adjusts to 1-1/4" |
| KNOCKOUTS: | Rectangle: 2-1/8" x 4-1/8" |



UL Mounting Block

The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.


| | |
|---------------------|------------------------|
| SURFACE DIMENSIONS: | 5" x 6" |
| FLANGE DIMENSIONS: | 7" x 8" |
| J-CHANNEL I.D.: | 5/8" adjusts to 1-1/4" |
| KNOCKOUTS: | NA |




Split Recessed J-Block® Mounting Block

The Split Recessed J-Block® has a patented hinge that allows for ease of installation.


| | |
|---------------------|----------------------------|
| SURFACE DIMENSIONS: | 5-5/8" x 7-3/8" |
| FLANGE DIMENSIONS: | 6" x 7-1/2" |
| J-CHANNEL I.D.: | 1/2" adjusts to 1-1/4" |
| KNOCKOUTS: | Rectangle: 2-1/4" x 3-7/8" |




Mini J-Block® Mounting Block

The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.


| | |
|---------------------|--|
| SURFACE DIMENSIONS: | 6" x 4-3/8" |
| FLANGE DIMENSIONS: | 6-7/8" x 5-1/4" |
| J-CHANNEL I.D.: | 1/2" adjusts to 1-1/4" |
| KNOCKOUTS: | Round: 1-1/8" Diameter Rectangle: 2-3/8" x 3-3/4" |




E-Z Block Surface Mounting Block

The one-piece design can be used after siding installation to mount all types of accessories.


| | |
|---------------------|--|
| SURFACE DIMENSIONS: | 6-3/4" x 6-3/4" - Projection: 3/4" |
| FLANGE DIMENSIONS: | NA |
| J-CHANNEL I.D.: | NA |
| KNOCKOUTS: | Round: 1" Diameter Rectangle: 2-3/8" x 3-3/4" |




Meter Base Mounting Block

The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.

| | |
|---------------------|-------------------|
| SURFACE DIMENSIONS: | 16-1/2" x 15-1/2" |
| FLANGE DIMENSIONS: | 18-1/2" x 16-3/4" |
| J-CHANNEL I.D.: | 1-1/4" |
| KNOCKOUTS: | NA |





COLOURMATCH



Foundation Vent

The Foundation Vent is used to ventilate crawl space areas.

SURFACE DIMENSIONS:

8-3/4" x 17"

FLANGE DIMENSIONS:


9-1/2" x 18-1/4"

J-CHANNEL I.D.:

3/4" adjusts to 1-1/4"

NET FREE AREA:

50 sq in



Louvered Exhaust Vent

Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.

4" = 7" x 7"

6" = 9" x 9"


4" = 8-1/2" X 7-1/2"

6" = 9-1/2" X 10-3/8"

3/4" adjusts to 1-1/4"

4" = 9.2 sq in

6" = 17.6 sq in



Hooded Exhaust Vent


The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out.

6-7/8" x 6-7/8"

6-5/8" x 5-5/8" Neutral Base

3/4" adjusts to 1-1/4"

NA









Gable Vent Base installed with siding

Gable Vent Cap installed with siding



- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the cover later
- Rectangular bases, instead of round, make siding cuts easier
- Available in Mitten Standard & Premium vinyl siding colours
- Paintable version available
- Adjustable 5/8" - 1-1/4" for use with all siding styles


| ROUND DESIGN | ROUND TOP DESIGN | HALF-ROUND DESIGN | RECTANGULAR DESIGN | | OCTAGONAL DESIGN | | SQUARE DESIGN |
|--------------------------|------------------|-------------------|--------------------|-----------|------------------|---------------|---------------|
| SIZE: | | | | | | | |
| 18" | 14" x 22" | 34" x 22" | 14" x 20" | 18" x 24" | 18" | 22" | 14" x 14" |
| VENTILATED OPENING: | | | | | | | |
| 10" x 12-1/2" | 10" x 12-1/2" | 20" x 16" | 10-1/2" x 15" | 16" x 20" | 10" x 12-1/2" | 10-1/2" x 15" | 10" x 12-1/2" |
| OUTSIDE UNIT DIMENSIONS: | | | | | | | |
| 18" | 14" x 22" | 34" x 22" | 14" x 20" | 18" x 24" | 18" | 22" | 14" x 14" |
| NET FREE AREA (sq in): | | | | | | | |
| 48.36 | 53.17 | 80.46 | 23.29 | 92.88 | 49.72 | 48.5 | 33.59 |





Ply Gem PVC Trim

PVC does not absorb water, so it won't rot, warp or split. PVC trim board can be cut, drilled and routed like wood. You can even install them to grade or against concrete.



Trim Boards

PVC trim board can be cut, drilled & routed like wood. These are also available as sheets (smooth/smooth or woodgrain/smooth) or as notched bead board. They can be used for fascia, frieze boards, window and door trim, deck edging, and decorative accents.



Skirt Boards

PVC skirt boards provide the finishing touch without the worries of water damage. The sloped top drains water away from the house, making it the ideal border for fiber cement and other composite siding materials. Available in smooth or woodgrain.



Mouldings

Mouldings are a long-lasting alternative to wood accent trim and are available in shapes that enhance any home's style, in gables around windows and doors, or wherever you desire. Drip Cap, Shingle Mould, Rams Crown, Bead Board, Inside Corner, Historic Sill and Brick Mould are all available.



Corners

One-piece outside corners provide a square edge with no unsightly, rough seams. Available in smooth or woodgrain finish.

Withstands the elements



WOOD




WOOD

Because Ply Gem trim does not absorb moisture, it won't rot, split or warp like wood. It also does not attract termites or other insects.

Won't split, crack or peel



FIBER CEMENT



PVC TRIM

PVC trim won't split or crack, and doesn't require sealing against moisture. It holds paint better and longer than wood, so you don't have to worry about paint peeling.

Easy to install



PVC TRIM



PVC TRIM

Notched corners make it easier to install and eliminates the need for a J-channel. It cuts and saws like wood, and can be installed in natural white or painted.



SHAKES, STONE AND ACCENTS

- Quick & easy installation on any surface
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance-free
- Extreme temperature variation resistance


Louvered sizes:

- Widths: 12" (30.5 cm) or 14" (35.6 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)


Raised Panel sizes:

- Widths: 12" (30.5 cm) or 14.5" (36.8 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

Standard Colours:




White



Black



Charcoal



Dark Blue



Burnished Slate



Heritage Brown



Imperial
Manufacturing Group™



Aluminum Railing & Columns

Dramatically enhance the appearance and functionality of any home with high quality aluminum railing and columns. Durable, low maintenance option that will not crack, chip, warp, rot, or peel.

Imperial Aluminum Columns

*Square Flat Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

*Square Recessed Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

***Available in White or Black** (Black available in 108" or 144" Heights)

5000 Series Railing

- Pre-assembled up to 13' in length
- Heights: 32", 36" & 42"
- Spindle sizes: 1/2" x 3/4", 3/4" x 3/4" & 3/4" x 1"
- Post sizes: 2" x 2" & 3" x 3"

Legacy Series Railing

- Boxed ready to assemble system
- Lengths: 46", 59" & 72"
- Heights: 36", 42" & 48"
- Box includes top & bottom rails, spindles, spacer clips, spindle attachment, peg leg support & fastening hardware

Colours

| | | | | | |
|-------|------|---------------|------------|-------|------------------|
| | | | | | |
| White | Clay | Charcoal Grey | Warm Beige | Black | Commercial Brown |

NOTE: *Grey & Commercial Brown only available in 5000 Series Railing
*Legacy Series only available in Black & White

ALPA
OUTDOOR PRODUCTS
Beautifying Home Exteriors



Vinyl Fence, Railing & Columns

Alpa Outdoor Products provide an easy to install, low-maintenance option to enhance the curb appeal of any home.

1400 Classic Series Railing

- 2-7/8" Wide Handrail
- 1-3/8" Balusters
- 4"x4" Posts
- Hidden hardware system
- Pre-assembled up to 7' 6" max. rail span
- Meets Part 3 and Part 9 of Ontario and National Building Code

1403 Builder Series Railing

- 2-1/8" Handrail
- 1-3/8" Balusters
- 3"x3" Posts
- Hidden hardware system
- Pre-assembled up to 7' max. rail span
- Meets Part 9 of Ontario and National Building Code

Vinyl Fence

- Section Sizes: 4' x 6' & 6' x 6'
- Post Size: 4" x 4" x 78"
- 12 different styles available
- Fence panels arrive fully assembled
- Fence gates are reinforced with steel inserts for added strength & protection

Colours

| | |
|-------|----------|
| | |
| White | Clay |
| | |
| Tan | Cashmere |

Vinyl Columns

Square & Round Columns*

- Widths: 8" & 9"
- Heights: 6', 8', 9', 10' & 12'

Split Square Columns

- Sizes: 8" x 6', 8" x 8', 8" x 9', 8" x 10', 8" x 12'

*9" Column width available in square only



DuPont™
Flashing Systems

DUPONT® Tyvek Homewrap & Flashing

- Unique non-woven, non-perforated house wrap
- Prevents air and water infiltration
- Allows water vapour to escape to prevent mold and water damage
- Butyl-backed flashing requires no fasteners
- Protects window and door sill from water damage



HOMEGUARD™ Titan House Wrap

- Customize with your company logo (minimum 1 pallet)
- CCMC Certified - Air barrier and sheathing membrane
- Reduces energy bills in both winter and summer
- Built in drainage planes, protect the home from mold and other moisture related problems
- Lifetime Warranty (UV Resistant 120 days)

Insulation, Sealants & Foams



Professional solutions to tighten the building envelope and reduce:

- Air leakage & infiltration
- Moisture entry points
- Thermal bridging
- Energy loss
- Heating & cooling costs
- Outside noise transmission



KOP-R-LASTIC

MITTEN BUILDING PRODUCTS LEVELWALL



BENDING EQUIPMENT, SCAFFOLDING, LADDERS & HAND TOOLS



Ask us about our wide selection of finishing solutions for all your exterior projects.

We have the right tool for every job!

- Gutter Systems
- Tools
- Scaffolding
- Ladders
- Bending Equipment
- Colour Matched Trim Nails
- Cortex Screws
- Roofing Nails

ALUM-A-POLE®



Malco®

Tapco® integrated tool systems

Van Mark
The Mark of Quality

2022 VINYL COLOUR MATRIX

RUSTIC

BOLD PREMIUM

NATURAL STANDARD

| | | Sentry® | D4" Horizontal | D4.5" Dutchlap | Board & Batten | Highland™ | D4" Horizontal | D4.5" Horizontal | D4.5" Dutchlap | D5" Horizontal | D5" Dutchlap | T3" Horizontal | Oregon Pride® | D4" Horizontal | D4" Dutchlap | D4.5" Horizontal | D5" Vertical | MITTEN Colour Matched 8' Shake | | D5" Soffit | Solid | Perforated FV | T4" Soffit | Solid/Perforated FV | Lanced, Lanced FV & Perf. CV | Pleasant View Skirting | Triple 4" Skirting, Plain & Vented | Front, Back & Bottom Trims |
|-----------------|--|---------|----------------|----------------|----------------|-----------|----------------|------------------|----------------|----------------|--------------|----------------|---------------|----------------|--------------|------------------|--------------|--------------------------------|--|------------|-------|---------------|------------|---------------------|------------------------------|------------------------|------------------------------------|----------------------------|
| Burnt Sienna | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | ● | | | | | | |
| Farmhouse | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | ● | | | | | | |
| Arctic Grey | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | ● | | | | | | |
| Hemlock | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | ● | | | | | | |
| Huron Blue | | | ● | ● | ● | | | | | | | | | | | | | ● | | | | | | | | | | |
| Yukon Grey | | | ● | ● | ● | | | | | | | | | | | | | ● | | | | | | | | | | |
| Lighthouse Red | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Richmond Red | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Eggplant | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Khaki Brown | | | ● | ● | ● | | ● | | ● | | ● | ● | | | | | | ● | | | | | | | | | | |
| Caribou Brown | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Coffee Bean | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Timber Bark | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Rockaway Grey | | | ● | ● | ● | | ● | | ● | | ● | ● | | | | | | ● | | | | | | | | | | |
| Gunmetal Grey | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Sapphire Blue | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Regatta Blue | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Annapolis Blue | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Muskoka Green | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Grenadier Green | | | ● | ● | ● | | ● | | ● | | ● | ● | | | | | | ● | | | | | | | | | | |
| Aviator Green | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| Frost | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Bone | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Ivory | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Saffron | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Sandcastle | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Sandalwood | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Hearthstone | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Ash | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Brownstone | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Satin Grey | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Flagstone | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Indigo | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Stratus | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Nickel | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Sage | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Cypress | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Musket Brown | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |
| Black | | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | | ● | ● | | ● | ● |

† Musket Brown is only available in T4 Full Perforated Vent.

| | RUSTIC | BOLD PREMIUM | NATURAL STANDARD |
|--------------------------------------|--------|--------------|------------------|
| Jamb-Fit™ Soffit | | | |
| 8" Solid & Vented | | | |
| 16" Solid & Vented | | | |
| Equinox T3-1/3" Soffit | | | |
| Solid | | | |
| Hidden Vent | | | |
| 7" Beaded Soffit | | | |
| Solid | | | |
| Hidden Vent | | | |
| Trims & Accessories | | | |
| 1/2" J-Channel | | | |
| 1/2" F-Channel | | | |
| 5/8" J-Channel | | | |
| 7/8" J-Channel | | | |
| H-Trim | | | |
| Finish Trim | | | |
| Drip Cap | | | |
| Inside Corner Post | | | |
| 10'- 3" Outside Corner Post | | | |
| 20'- 5.5" Outside Corner Post | | | |
| Fluted 20'- 5.5" Outside Corner Post | | | |
| 12' 3" Outside Corner Post | | | |
| Belt Line | | | |
| Window Casing Trim | | | |
| Win/Door Trim | | | |
| Recessed Win/Door Trim | | | |
| Fascia & Fascia J | | | |
| 1 1/4" J-Channel | | | |
| 12'-4.5" Outside Corner Post | | | |
| 1 1/4" Inside Corner | | | |
| 1 1/4" Window/Door Trim | | | |
| 1 1/4" Window/Door Starter | | | |

* Black Soffit is only available in T4 Perforated Full, Centre Vent and Solid. Panels & trims are for Soffit use only.

BRANCH LOCATIONS

Please call **1.888.MITTEN4**
(1.888.648.8364) to contact
the closest branch location



6 PLY GEM
WINDOW & DOOR MANUFACTURING
7140 40 Street SE
Calgary, AB T2C 2B6
P: 403.203.8200

14 MITTEN
SIDING MANUFACTURING & DISTRIBUTION
5A - 225 Henry St., Brantford, ON N3S 7R4
Phone: 519.805.4701 Toll Free: 1.800.265.0774
Alternate Toll Free :1.888.MITTEN4 (regional)

WESTERN REGION

1. VICTORIA
#149-2745 Veterans Memorial
Pkwy., Langford, BC V9B 0H4
P: 236.464.1749

2. KELOWNA
340 Old Vernon Road
Kelowna, BC V1X 4R2
P: 250.868.9006

3. PORT COQUITLAM
1750 Coast Meridian Rd., Unit #118,
Port Coquitlam, BC V1M 4B9
P: 778.383.1060 (Siding)
P: 604.270.1488 (Windows)

4. PRINCE GEORGE
1011596 Quin Street S
Prince George, BC V2N 1X4
P: 250.564.7888

5. CALGARY (Siding)
2008 - 48 Street SE
Calgary, AB T2B 2E5
P: 403.253.1988

7. EDMONTON
6236 50th St. NW, Building 11,
Edmonton, AB T6B 2N7
P: 780.468.5222 (Siding)
P: 780.451.2590 (Windows)

8. RED DEER
#8 - 4622 61 Street
Red Deer, AB T4N 2R2
P: 403.346.5189

9. LETHBRIDGE
#10 - 3004 9 Avenue N
Lethbridge, AB T1H 5E5
P: 403.327.7281

10. MEDICINE HAT
1887 6 Avenue SW
Medicine Hat, AB T1A 8C3
P: 403.526.2520

11. REGINA
106 Leonard Street N
Regina, SK S4N 5V7
P: 306.545.7635 (Siding)
P: 306.352.2399 (Windows)

12. SASKATOON
#102-815 66th Street E
Saskatoon, SK S7P OE6
P: 306.244.5777 (Siding)
P: 306.374.6166 (Windows)

13. WINNIPEG
Unit 10 - 127 Mountain View Rd.
Winnipeg, MB R0C 3A0
P: 204.774.1580 (Siding)
P: 204.774.1580 (Windows)

ONTARIO REGION

15. BRANTFORD
5A - 225 Henry St.
Brantford, ON N3S 7R4
P: 519.753.1810

16. LONDON
3969 Commerce Rd. Unit # 2
London, ON N6N 1P5
P: 519.644.2675

17. WHITBY
Unit 3 - 185 William Smith Dr
Whitby, ON L1N 0A3
P: 647.725.0734

18. OTTAWA
2320 St Laurent Boulevard
Ottawa, ON K1G 6C4
P: 800.267.1550

QUEBEC REGION

19. MONTREAL
9075 Boul Henri-Bourassa East
Montreal, QC H1E 1P6
P: 514.352.9555

20. LEVIS
795 rue J. Ambroise-Craig
Levis, QC G7A 2N2
T: 877.568.3132

ATLANTIC REGION

21. FREDERICTON
20 Casewood Dr.
Fredericton, NB E3C 2L5
P: 506.453.0888

22. MONCTON
215 English Dr.
Moncton, NB E1E 3Y8
P: 506.858.8824

23. DARTMOUTH
19 Gurholt Drive.
Dartmouth, NS B3B 1J8
P: 902.468.3363

24. MOUNT PEARL
47 Clyde Ave.
Mount Pearl, NL A1N 4R8
P: 709.368.4001

EXTERIOR BUILDING SOLUTIONS




MITTEN®

BUILDING PRODUCTS



SIDING



ALUMINUM



SHAKE




WINDOWS




ENTRY & PATIO DOORS



STONE



ACCENTS



TOOLS & EQUIPMENT



BUILDING ENVELOPE

Mitten and its Allied product partners make every reasonable effort to ensure the accuracy of the information provided. As information continually changes throughout the day-to-day course of our business, Mitten and its partners reserve the right at any time to change or update this information without notice and make no warranties or representation to its accuracy.



Authorized Dealer/Distributor

MIT - 1/22 49-809-000-00 West

MITTEN®

BUILDING PRODUCTS

Part of the Cornerstone Building Brands Family

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4
800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM

